Index to volume 116

*Author index**

A

Abelson M. Digital imaging update. 1999;116:587-90
Abelson MN (*see* Halazonetis and Abelson). 1999;116:699-701
Acar A (*see* Erverdi et al). 1999;116:687-90
Acar A (*see* Küçükkeleş et al). 1999;116:555-62
Aggarwal P, Kharbanda OP, Mathur R, Duggal R, Parkash H. Muscle response to the Twin-block appliance: an electromyographic study of the masseter and anterior temporal muscles. 1999;116:405-14
Ahn J-G, Figueroa AA, Braun S, Polley JW. Biomechanical considerations in distraction of the osteotomized dentomaxillary complex. 1999;116:264-70
Alexander CD. Open bite, dental alveolar protrusion, Class I malocclusion: a successful treatment result. 1999;116:494-500 (Case rep.)
Alexander RG (*see* Smith and Alexander). 1999;116:60-5 (Case rep.)
Alexander-Abt J. Apparent hypodontia: a case of misdiagnosis. 1999;116:321-3 (Case rep.)
Alonzo TA (*see* Lee et al). 1999;116:187-95
Alonzo TA (*see* Loftus et al). 1999;116:336-45
AlQabandi AK, Sadowsky C, BeGole EA. A comparison of the effects of rectangular and round arch wires in leveling the curve of Spee. 1999;116:522-9
Aoba TJ (*see* Kondo and Aoba). 1999;116:481-93 (Case rep.)
Arnett GW, Jelic JS, Kim J, Cummings DR, Beress A, Worley CM Jr, Chung B, Bergman R. Soft tissue cephalometric analysis: diagnosis and treatment planning of dentofacial deformity. 1999;116:239-53
Arnone R. Bonding orthodontic lower 3 to 3 retainers with a rubber dam: a second generation step-by-step procedure. 1999;116:432-4 (Clin. corner)
Årtun J (*see* Lee et al). 1999;116:187-95
Årtun J (*see* Loftus et al). 1999;116:336-45
Atta AE. Total quality management in orthodontic practice. 1999;116:659-60 (Special article)
Azizi M, Shrout MK, Haas AJ, Russell CM, Hamilton EH Jr. A retrospective study of Angle Class I malocclusions treated orthodontically without extractions using two palatal expansion methods. 1999;116:101-7

B

Bae S (*see* Mundstock et al). 1999;116:635-41
Barceló F (*see* Flores et al). 1999;116:514-7
Bar-Zion Y. Electronically accessing the scientific literature: Web-based MEDLINE searches. 1999;116:229-31
Battistutta D (*see* McNab et al). 1999;116:545-51
BeGole EA (*see* AlQabandi et al). 1999;116:522-9
BeGole EA (*see* Kusnoto et al). 1999;116:390-9
Beress A (*see* Arnett et al). 1999;116:239-53
Berger JL, Pangrazio-Kulbersh V, Thomas BW, Kaczynski R. Photographic analysis of facial changes associated with maxillary expansion. 1999;116:563-71
Bergman R (*see* Arnett et al). 1999;116:239-53
Bergman RT. Cephalometric soft tissue facial analysis. 1999;116:373-89
Bernard H (*see* Brightman et al). 1999;116:444-51
Bishara SE, Olsen ME, VonWald L, Jakobsen JR. Comparison of the debonding characteristics of two innovative ceramic bracket designs. 1999;116:86-92
Bishara SE, VonWald L, Olsen ME, Laffoon JF. Effect of time on the shear bond strength of glass ionomer and composite orthodontic adhesives. 1999;116:616-20
Björkman L (*see* Tang et al). 1999;116:132-8
Bondemark L. Does 2 years' nocturnal treatment with a mandibular advancement splint in patients with snoring and OSAS cause a change in the posture of the mandible? 1999;116:621-8
Borislow AJ (*see* Gaworski et al). 1999;116:518-21
Borislow AJ (*see* Wenderoth et al). 1999;116:629-34
Braitman LE (*see* Gaworski et al). 1999;116:518-21
Braun S, Hnat WP, Leschinsky R, Legan HL. An evaluation of the shape of some popular nickel titanium alloy preformed arch wires. 1999;116:1-12
Braun S (*see* Ahn et al). 1999;116:264-70
Brezniak N (*see* Redlich et al). 1999;116:317-20 (Case rep.)
Brightman BB, Hans MG, Wolf GR, Bernard H. Recognition of malocclusion: an education outcomes assessment. 1999;116:444-51
Burden DJ, McGuinness N, Stevenson M, McNamara T. Predictors of outcome among patients with Class II Division 1 malocclusion treated with fixed appliances in the permanent dentition. 1999;116:452-9
Burke C. Walter Arnett Doyle—Aug 9, 1933 to Feb 13, 1999. 1999;116:113 (In memoriam)
Buschang PH (*see* Croft et al). 1999;116:435-43

C

Cardenas L (*see* Wolford and Cardenas). 1999;116:667-77
Casko J (*see* Mergen et al). 1999;116:324-8
Chen L-H (*see* Okumura et al). 1999;116:126-31
Christensen G (*see* Mergen et al). 1999;116:324-8
Chung AYY (*see* Nikolai and Chung). 1999;116:308-16
Chung B (*see* Arnett et al). 1999;116:239-53
Chung C-H (*see* Koo et al). 1999;116:346-51
Ciusa V (*see* Ferrario et al). 1999;116:215-26
Clark GT (*see* Greene et al). 1999;116:430-1
Colombo A (*see* Ferrario et al). 1999;116:215-26
Cooke MS (*see* Peng and Cooke). 1999;116:82-5
Cope JB, Harper RP, Samchukov ML. Experimental tooth movement through regenerate alveolar bone: a pilot study. 1999;116:501-5
Cope JB, Sachdeva RCL. Nonsurgical correction of a Class II malocclusion with a vertical growth tendency. 1999;116:66-74
Cope JB (*see* Smith et al). 1999;116:254-63
Croft RS, Buschang PH, English JD, Meyer R. A cephalometric and tomographic evaluation of Herbst treatment in the mixed dentition. 1999;116:435-43
Cuenin M (*see* Cureton and Cuenin). 1999;116:46-59 (Case rep.)
Cummings DR (*see* Arnett et al). 1999;116:239-53
Cureton SL, Cuenin M. Surgically assisted rapid palatal expansion: orthodontic preparation for clinical success. 1999;116:46-59 (Case rep.)

D

Danyluk K, Lavelle C, Hassard T. Potential application of the dental aesthetic index to prioritize the orthodontic service needs in a publicly-funded dental program. 1999;116:279-86
Deguchi T, Kuroda T, Hunt NP, Graber TM. Long-term application of chincup force alters the morphology of the dolichofacial Class III mandible. 1999;116:610-5
De-la-Rosa-Gay C (*see* Valmaseda-Castellón et al). 1999;116:651-8
Demirkaya AA (*see* Küçükkeleş et al). 1999;116:555-62
de Rijk W (*see* Kusnoto et al). 1999;116:390-9
de Rijk WG (*see* Thomas et al). 1999;116:530-2
Desai HM. Root resorption: another long-term outcome. 1999;116:184-6 (Case rep.)
Diedrich P (*see* Wehrbein et al). 1999;116:678-86
Donly DK (*see* Todd et al). 1999;116:159-67
Duggal R (*see* Aggarwal et al). 1999;116:405-14

E

Ekstrand J (*see* Tang et al). 1999;116:132-8
Enacar A (*see* Küçükkeleş et al). 1999;116:555-62
English JD (*see* Croft et al). 1999;116:435-43
English JD (*see* Smith and English). 1999;116:177-83 (Case rep.)
Epker BN (*see* Kisnisci et al). 1999;116:25-30
Erbay E (*see* Erdinç et al). 1999;116:287-300
Erdinç AE, Ugur T, Erbay E. A comparison of different treatment techniques for posterior crossbite in the mixed dentition. 1999;116:287-300
Erverdi N, Kadir T, Özkan H, Acar A. Investigation of bacteremia after orthodontic banding. 1999;116:687-90
Evans CA (*see* Kusnoto et al). 1999;116:390-9
Evans CA (*see* Thomas et al). 1999;116:530-2
Evrenol B (*see* Küçükkeleş et al). 1999;116:555-62

F

Feifel H (*see* Wehrbein et al). 1999;116:678-86
Ferrario VF, Sforza C, Serrao G, Colombo A, Ciusa V. Soft tissue facial growth

*July, pp 1-120; August, pp. 121-238; September, pp. 239-372; October, pp. 373-480; November 481-596; December, pp. 597-720.

and development as assessed by the three-dimensional computerized mesh diagram analysis. 1999;116:215-26
Figueroa AA (*see* Ahn et al). 1999;116:264-70
Flores AR, Sáez E G, Barceló F. Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer. 1999;116:514-7
Fowel SD (*see* Kisnisci et al). 1999;116:25-30

G

Gatlin L. Orthodontics online, the AAO Web Site. 1999;116:474-5
Gaworski M, Weinstein M, Borislow AJ, Braitman LE. Decalcification and bond failure: a comparison of a glass ionomer and a composite resin bonding system in vivo. 1999;116:518-21
Gay-Escoda C (*see* Valmaseda-Castellón et al). 1999;116:651-8
Ghosh J (*see* Reed et al). 1999;116:31-40
Graber TM (*see* Deguchi et al). 1999;116:610-5
Greene CS, Mohl ND, McNeill C, Clark GT, Truelove EL. Temporomandibular disorders and science: a response to the critics. 1999;116:430-1
Gültan AS (*see* Tümer and Gültan). 1999;116:460-8

H

Haas AJ (*see* Azizi et al). 1999;116:101-7
Halazonetis DJ, Abelson MN. Computer survey. 1999;116:699-701
Hamilton EH Jr (*see* Azizi et al). 1999;116:101-7
Hans MG (*see* Brightman et al). 1999;116:444-51
Harper RP (*see* Cope et al). 1999;116:501-5
Hassard T (*see* Danyluk et al). 1999;116:279-86
Hegarty D. Presentations with Dentofacial Planner images. 1999;116:114-6
Hnat WP (*see* Braun et al). 1999;116:1-12
Hunt NP (*see* Deguchi et al). 1999;116:610-5
Hyomoto M (*see* Miyawaki et al). 1999;116:578-84

I

Ichida T, Takiguchi R, Yamada K. Relationship between the lingual-palatal contact duration associated with swallowing and maxillofacial morphology with the use of electropalatography. 1999;116:146-51
Imai T, Watari F, Yamagata S, Kobayashi M, Nagayama K, Nakamura S. Effects of water immersion on mechanical properties of new esthetic orthodontic wire. 1999;116:533-8
Isaacson RJ (*see* Rebellato et al). 1999;116:93-100
Ishikawa H (*see* Komori and Ishikawa). 1999;116:139-45

J

Jacobs SG. Radiographic localization of unerupted maxillary anterior teeth using the vertical tube shift technique: the history and application of the method with some case reports. 1999;116:415-23
Jakobsen JR (*see* Bishara et al). 1999;116:86-92
Jelic JS (*see* Arnett et al). 1999;116:239-53
Jerrold L. Depositions: the good, the bad, and the ugly. 1999;116:232-4 (Litigation/legis./ethics)
Jerrold L. Disclosure and self-determination. 1999;116:591-3 (Litigation/legis./ethics)
Jerrold L. I can do that. 1999;116:476-8 (Litigation/legis./ethics)
Jerrold L. Statute of limitations declared unconstitutional. 1999;116:702-3 (Litigation/legis./ethics)
Johnston LE Jr (*see* Scott and Johnston). 1999;116:352-8

K

Kaczynski R (*see* Berger et al). 1999;116:563-71
Kadir T (*see* Erverdi et al). 1999;116:687-90
Kanellis MJ (*see* Todd et al). 1999;116:159-67
Kantor ML (*see* Tetradis and Kantor). 1999;116:572-7
Kapur R, Sinha PK, Nanda RS. Comparison of frictional resistance in titanium and stainless steel brackets. 1999;116:271-4
Kapur R, Sinha PK, Nanda RS. Comparison of load transmission and bracket deformation between titanium and stainless steel brackets. 1999;116:275-8
Kapur R, Sinha PK, Nanda RS. Frictional resistance in orthodontic brackets with repeated use. 1999;116:400-4
Kapust AJ (*see* Macdonald et al). 1999;116:13-24
Katzhendler E, Steigman S. Effect of repeated orthodontic treatment on the dental and periodontal tissues of the rat incisor. 1999;116:642-50
Kharbanda OP (*see* Aggarwal et al). 1999;116:405-14
Kiliaridis S, Thilander B, Kjellberg H, Topouzelis N, Zafiriadis A. Effect of low masticatory function on condylar growth: a morphometric study in the rat. 1999;116:121-5
Kim J (*see* Arnett et al). 1999;116:239-53
Kirita T (*see* Miyawaki et al). 1999;116:578-84
Kisnisci RS, Fowel SD, Epker BN. Distraction osteogenesis in Silver Russell syndrome to expand the mandible. 1999;116:25-30
Kjellberg H (*see* Kiliaridis et al). 1999;116:121-5
Kobayashi M (*see* Imai et al). 1999;116:533-8
Kocadereli I. The effect of first premolar extraction on vertical dimension. 1999;116:41-5
Komori A, Ishikawa H. The effect of delayed light exposure on bond strength: light-cured resin-reinforced glass ionomer cement vs light-cured resin. 1999;116:139-45
Kondo E, Aoba TJ. Case report of malocclusion with abnormal head head posture and TMJ symptoms. 1999;116:481-93 (Case rep.)
Koo BC, Chung C-H, Vanarsdall RL. Comparison of the accuracy of bracket placement between direct and indirect bonding techniques. 1999;116:346-51
Küçükkeleş N, Acar A, Demirkaya AA, Evrenol B, Enacar A. Cephalometric evaluation of open bite treatment with NiTi arch wires and anterior elastics. 1999;116:555-62
Kuroda T (*see* Deguchi et al). 1999;116:610-5
Kusnoto B, Evans CA, BeGole EA, de Rijk W. Assessment of 3-dimensional computer-generated cephalometric measurements. 1999;116:390-9

L

Lacefield W (*see* Mundstock et al). 1999;116:635-41
Laffoon JF (*see* Bishara et al). 1999;116:616-20
Lavelle C (*see* Danyluk et al). 1999;116:279-86
Lee RY, Årtun J, Alonzo TA. Are dental anomalies risk factors for apical root resorption in orthodontic patients? 1999;116:187-95
Legan HL (*see* Braun et al). 1999;116:1-12
Leschinsky R (*see* Braun et al). 1999;116:1-12
Lin J (*see* Nie and Lin). 1999;116:539-44
Lindauer SJ (*see* Rebellato et al). 1999;116:93-100
Liu Y (*see* Tang et al). 1999;116:132-8
Loftus BP, Årtun J, Nicholls JI, Alonzo TA, Stoner JA. Evaluation of friction during sliding tooth movement in various bracket–arch wire combinations. 1999;116:336-45

M

Macdonald KE, Kapust AJ, Turley PK. Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy. 1999;116:13-24
Major PW (*see* Nebbe et al). 1999;116:301-7
Major PW (*see* Nebbe et al). 1999;116:168-76 (Case rep.)
Mathur R (*see* Aggarwal et al). 1999;116:405-14
Matsumoto Y (*see* Yoshihara et al). 1999;116:691-6
Mazor Z (*see* Redlich et al). 1999;116:317-20 (Case rep.)
McGuinness N (*see* Burden et al). 1999;116:452-9
McNab S, Battistutta D, Taverne A, Symons AL. External apical root resorption of posterior teeth in asthmatics after orthodontic treatment. 1999;116:545-51
McNamara JA Jr (*see* Toth and McNamara). 1999;116:597-609
McNamara T (*see* Burden et al). 1999;116:452-9
McNeill C (*see* Greene et al). 1999;116:430-1
Melsen B (*see* Miethke and Melsen). 1999;116:329-35
Mergen J, Shelly A, Christensen G, Casko J. Treatment of a Class III malocclusion with maxillary constriction and an anterior functional shift. 1999;116:324-8
Meyer R (*see* Croft et al). 1999;116:435-43
Miethke RR, Melsen B. Effect of variation in tooth morphology and bracket position on first and third order correction with preadjusted appliances. 1999;116:329-35
Miyawaki S, Hyomoto M, Tsubouchi J, Kirita T, Sugimura M. Eruption speed and rate of angulation change of a cyst-associated mandibular second premolar after marsupialization of a dentigerous cyst. 1999;116:578-84
Mohl ND (*see* Greene et al). 1999;116:430-1
Mundstock KS, Sadowsky PL, Lacefield W, Bae S. An in vitro evaluation of a metal reinforced orthodontic ceramic bracket. 1999;116:635-41

N

Nagayama K (*see* Imai et al). 1999;116:533-8
Nakamura S (*see* Imai et al). 1999;116:533-8

Nanda RS. Joseph R. Jarabak—a living legend. 1999;116:472-3 (Vignette)
Nanda RS (*see* Kapur et al). 1999;116:271-4
Nanda RS (*see* Kapur et al). 1999;116:275-8
Nanda RS (*see* Kapur et al). 1999;116:400-4
Nanda RS (*see* Reed et al). 1999;116:31-40
Nebbe B, Major PW, Prasad NGN. Female adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part I. 1999; 116:168-76 (Case rep.)
Nebbe B, Major PW, Prasad NGN. Male adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part II. 1999; 116:301-7
Nicholls JI (*see* Loftus et al). 1999;116:336-45
Nie Q, Lin J. Comparison of intermaxillary tooth size discrepancies among different malocclusion groups. 1999;116:539-44
Nikolai RJ, Chung AYY. Controlled localized buckling responses of orthodontic arch wires. 1999;116:308-16

O

Oguchi H (*see* Yoshihara et al). 1999;116:691-6
Oka M (see Okumura et al). 1999;116:126-31
Okumura H, Chen L-H, Tsutsumi S, Oka M. Three-dimensional virtual imaging of facial skeleton and dental morphologic condition for treatment planning in orthognathic surgery. 1999;116:126-31
Olsen ME (*see* Bishara et al). 1999;116:86-92
Olsen ME (*see* Bishara et al). 1999;116:616-20
Özkan H (*see* Erverdi et al). 1999;116:687-90

P

Palmon A (*see* Redlich et al). 1999;116:152-8
Pancherz H, Ruf S, Thomalske-Faubert C. Mandibular articular disk position changes during Herbst treatment: a prospective longitudinal MRI study. 1999;116:207-14
Pangrazio-Kulbersh V (*see* Berger et al). 1999;116:563-71
Parkash H (*see* Aggarwal et al). 1999;116:405-14
Peng L, Cooke MS. Fifteen-year reproducibility of natural head posture: a longitudinal study. 1999;116:82-5
Polley JW (*see* Ahn et al). 1999;116:264-70
Prasad NGN (*see* Nebbe et al). 1999;116:301-7
Prasad NGN (*see* Nebbe et al). 1999;116:168-76 (Case rep.)
Preis FG. Kyrle W. Preis. 1999;116:111 (In memoriam)
Proffit WR. Dr Robert M. Nelson 1918 to 1998. 1999;116:112 (In memoriam)

R

Rebellato J, Lindauer SJ, Sheats RD, Isaacson RJ. Condylar positional changes after mandibular advancement surgery with rigid internal fixation. 1999; 116:93-100
Redlich M, Mazor Z, Brezniak N. Severe high angle Class II Division 1 malocclusion with vertical maxillary excess and gummy smile: a case report. 1999;116:317-20 (Case rep.)
Redlich M, Shoshan S, Palmon A. Gingival response to orthodontic force. 1999;116:152-8
Reed N, Ghosh J, Nanda RS. Comparison of treatment outcomes with banded and bonded RPE appliances. 1999;116:31-40
Riolo ML (*see* Vaden and Riolo). 1999;116:117
Rossouw PE (*see* Sperber et al). 1999;116:506-13
Ruf S (*see* Pancherz et al). 1999;116:207-14
Russell CM (*see* Azizi et al). 1999;116:101-7

S

Sachdeva RCL (*see* Cope and Sachdeva). 1999;116:66-74
Sachdeva RCL (*see* Smith et al). 1999;116:254-63
Sadowsky C (*see* AlQabandi et al). 1999;116:522-9
Sadowsky PL (*see* Mundstock et al). 1999;116:635-41
Sáez E G (*see* Flores et al). 1999;116:514-7
Samchukov ML (*see* Cope et al). 1999;116:501-5
Sato N (*see* Yoshihara et al). 1999;116:691-6
Satravaha S, Taweesedt N. Stability of skeletal changes after activator treatment of patients with Class III malocclusions. 1999;116:196-206
Scott SH, Johnston LE Jr. The perceived impact of extraction and nonextraction treatments on matched samples of African American patients. 1999; 116:352-8
Sectakof PA (*see* Sperber et al). 1999;116:506-13
Serrao G (*see* Ferrario et al). 1999;116:215-26
Sforza C (*see* Ferrario et al). 1999;116:215-26
Shashua D. Treatment of a Class III malocclusion with a missing mandibular incisor and severe crowding. 1999;116:661-6 (Case rep.)
Sheats RD (*see* Rebellato et al). 1999;116:93-100
Shelly A (*see* Mergen et al). 1999;116:324-8
Shoshan S (*see* Redlich et al). 1999;116:152-8
Shrout MK (*see* Azizi et al). 1999;116:101-7
Sinha PK (*see* Kapur et al). 1999;116:271-4
Sinha PK (*see* Kapur et al). 1999;116:275-8
Sinha PK (*see* Kapur et al). 1999;116:400-4
Smith SS, Alexander RG. Orthodontic correction of a Class II Division 1 subdivision right open bite malocclusion in an adolescent patient with a cervical pull face-bow headgear. 1999;116:60-5 (Case rep.)
Smith SW, English JD. Orthodontic correction of a Class III malocclusion in an adolescent patient with a bonded RPE and protraction face mask. 1999; 116:177-83 (Case rep.)
Smith SW, Sachdeva RCL, Cope JB. Evaluation of the consolidation period during osteodistraction using computed tomography. 1999;116:254-63
Snyder RJ. Class II malocclusion correction: an American Board of Orthodontics case. 1999;116:424-9 (Case rep.)
Sperber RL, Watson PA, Rossouw PE, Sectakof PA. Adhesion of bonded orthodontic attachments to dental amalgam: in vitro study. 1999;116:506-13
Staley RN (*see* Todd et al). 1999;116:159-67
Steigman S (*see* Katzhendler and Steigman). 1999;116:642-50
Stevenson M (*see* Burden et al). 1999;116:452-9
Stoner JA (*see* Loftus et al). 1999;116:336-45
Sugimura M (*see* Miyawaki et al). 1999;116:578-84
Suzuki J (*see* Yoshihara et al). 1999;116:691-6
Symons AL (*see* McNab et al). 1999;116:545-51

T

Takiguchi R (*see* Ichida et al). 1999;116:146-51
Tang ATH, Liu Y, Björkman L, Ekstrand J. In vitro cytotoxicity of orthodontic bonding resins on human oral fibroblasts. 1999;116:132-8
Taverne A (*see* McNab et al). 1999;116:545-51
Taweesedt N (*see* Satravaha and Taweesedt). 1999;116:196-206
Tetradis S, Kantor ML. Prevalence of skeletal and dental anomalies and normal variants seen in cephalometric and other radiographs of orthodontic patients. 1999;116:572-7
Thilander B (*see* Kiliaridis et al). 1999;116:121-5
Thomalske-Faubert C (*see* Pancherz et al). 1999;116:207-14
Thomas BW (*see* Berger et al). 1999;116:563-71
Thomas RL, de Rijk WG, Evans CA. Tensile and shear stresses in the orthodontic attachment adhesive layer with 3D finite element analysis. 1999; 116:530-2
Todd MA, Staley RN, Kanellis MJ, Donly DK, Wefel JS. Effect of a fluoride varnish on demineralization adjacent to orthodontic brackets. 1999;116:159-67
Topouzelis N (*see* Kiliaridis et al). 1999;116:121-5
Toth LR, McNamara JA Jr. Treatment effects produced by the Twin-block appliance and the FR-2 appliance of Fränkel compared with an untreated Class II sample. 1999;116:597-609
Truelove EL (*see* Greene et al). 1999;116:430-1
Tsubouchi J (*see* Miyawaki et al). 1999;116:578-84
Tsutsumi S (*see* Okumura et al). 1999;116:126-31
Tümer N, Gültan AS. Comparison of the effects of monoblock and twin-block appliances on the skeletal and dentoalveolar structures. 1999;116:460-8
Turley PK (*see* Macdonald et al). 1999;116:13-24
Turpin DL. Future of the AJO-DO online. 1999;116:552-4 (Special article)

U

Ugur T (*see* Erdinç et al). 1999;116:287-300

V

Vaden J. George William Huckaba, DDS, MS. 1999;116:471 (In memoriam)
Vaden J, Riolo ML. Educational update. 1999;116:117
Valmaseda-Castellón E, De-la-Rosa-Gay C, Gay-Escoda C. Eruption disturbances of the first and second permanent molars: results of treatment in 43 cases. 1999;116:651-8
Vanarsdall RL (*see* Koo et al). 1999;116:346-51

Vaughan JL. Orthodontic correction of an adult Angle Class II Division 2 deep bite. 1999;116:75-81 (Case rep.)
VonWald L (*see* Bishara et al). 1999;116:86-92
VonWald L (*see* Bishara et al). 1999;116:616-20

W

Watari F (*see* Imai et al). 1999;116:533-8
Watson PA (*see* Sperber et al). 1999;116:506-13
Wefel JS (*see* Todd et al). 1999;116:159-67
Wehrbein H, Feifel H, Diedrich P. Palatal implant anchorage reinforcement of posterior teeth: a prospective study. 1999;116:678-86
Weinstein M (*see* Gaworski et al). 1999;116:518-21
Weinstein M (*see* Wenderoth et al). 1999;116:629-34
Wenderoth CJ, Weinstein M, Borislow AJ. Effectiveness of a fluoride-releasing sealant in reducing decalcification during orthodontic treatment. 1999;116:629-34
Wolf GR (*see* Brightman et al). 1999;116:444-51
Wolford LM, Cardenas L. Idiopathic condylar resorption: diagnosis, treatment protocol, and outcomes. 1999;116:667-77
Worley CM Jr (*see* Arnett et al). 1999;116:239-53

Y

Yamada K (*see* Ichida et al). 1999;116:146-51
Yamagata S (see Imai et al). 1999;116:533-8
Yoshihara T, Matsumoto Y, Suzuki J, Sato N, Oguchi H. Effect of serial extraction alone on crowding: relationships between tooth width, arch length, and crowding. 1999;116:691-6

Z

Zafiriadis A (*see* Kiliaridis et al). 1999;116:121-5

*Subject index**

A

Abnormalities
Are dental anomalies risk factors for apical root resorption in orthodontic patients? (Lee et al). 1999;116:187-95
Evaluation of the consolidation period during osteodistraction using computed tomography (Smith et al). 1999;116:254-63
Prevalence of skeletal and dental anomalies and normal variants seen in cephalometric and other radiographs of orthodontic patients (Tetradis and Kantor). 1999;116:572-7
Soft tissue cephalometric analysis: diagnosis and treatment planning of dentofacial deformity (Arnett et al). 1999;116:239-53

Abstracts
Abstracts. 1999;116:118-9, 235-7, 371, 479, 594-5,704-5

Adhesion
Adhesion of bonded orthodontic attachments to dental amalgam: in vitro study (Sperber et al). 1999;116:506-13

Adhesives
Effect of time on the shear bond strength of glass ionomer and composite orthodontic adhesives (Bishara et al). 1999;116:616-20
Tensile and shear stresses in the orthodontic attachment adhesive layer with 3D finite element analysis (Thomas et al). 1999;116:530-2

Adolescence
Female adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part I (Nebbe et al). 1999;116:168-76 (Case rep.)
Male adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part II (Nebbe et al). 1999;116:301-7
Orthodontic correction of a Class II Division 1 subdivision right open bite malocclusion in an adolescent patient with a cervical pull face-bow headgear (Smith and Alexander). 1999;116:60-5 (Case rep.)
Orthodontic correction of a Class III malocclusion in an adolescent patient with a bonded RPE and protraction face mask (Smith and English). 1999;116:177-83 (Case rep.)

African Americans
The perceived impact of extraction and nonextraction treatments on matched samples of African American patients (Scott and Johnston). 1999;116:352-8

Alveolar bone
Experimental tooth movement through regenerate alveolar bone: a pilot study (Cope et al). 1999;116:501-5

Amalgam
Adhesion of bonded orthodontic attachments to dental amalgam: in vitro study (Sperber et al). 1999;116:506-13

American Association of Orthodontists
Directory: AAO officers and organizations. 1999;116:120, 238, 372, 480, 706
Orthodontics online, the AAO Web Site (Gatlin). 1999;116:474-5

American Board of Orthodontics
The benefits of certification by the American Board of Orthodontics. 1999;116:111
Changing of the guard. 1999;116:361
Class II malocclusion correction: an American Board of Orthodontics case (Snyder). 1999;116:424-9 (Case rep.)
Ketcham Award winner. 1999;116:361

American Journal of Orthodontics and Dentofacial Orthopedics
Future of the AJO-DO online (Turpin). 1999;116:552-4 (Special article)

Angulation
Eruption speed and rate of angulation change of a cyst-associated mandibular second premolar after marsupialization of a dentigerous cyst (Miyawaki et al). 1999;116:578-84

Animal models
Effect of repeated orthodontic treatment on the dental and periodontal tissues of the rat incisor (Katzhendler and Steigman). 1999;116:642-50

Anodontia
Apparent hypodontia: a case of misdiagnosis (Alexander-Abt). 1999; 116:321-3 (Case rep.)

Appliances; *see* Orthodontic appliances

Asthma
External apical root resorption of posterior teeth in asthmatics after orthodontic treatment (McNab et al). 1999;116:545-51

B

Bacteremia
Investigation of bacteremia after orthodontic banding (Erverdi et al). 1999;116:687-90

Bands
Investigation of bacteremia after orthodontic banding (Erverdi et al). 1999;116:687-90

Bicuspid; *see* Premolar

Biomechanics
Biomechanical considerations in distraction of the osteotomized dentomaxillary complex (Ahn et al). 1999;116:264-70
Controlled localized buckling responses of orthodontic arch wires (Nikolai and Chung). 1999;116:308-16

bis-GMA; *see* Bisphenol A-glycidyl methacrylate

Bisphenol A-glycidyl methacrylate
In vitro cytotoxicity of orthodontic bonding resins on human oral fibroblasts (Tang et al). 1999;116:132-8

Bond strength
The effect of delayed light exposure on bond strength: light-cured resin-reinforced glass ionomer cement vs light-cured resin (Komori and Ishikawa). 1999;116:139-45
Effect of time on the shear bond strength of glass ionomer and composite orthodontic adhesives (Bishara et al). 1999;116:616-20

Bonding
Adhesion of bonded orthodontic attachments to dental amalgam: in vitro study (Sperber et al). 1999;116:506-13
Bonding orthodontic lower 3 to 3 retainers with a rubber dam: a second generation step-by-step procedure (Arnone). 1999;116:432-4 (Clin. corner)
Comparison of the accuracy of bracket placement between direct and indirect bonding techniques (Koo et al). 1999;116:346-51
Decalcification and bond failure: a comparison of a glass ionomer and a composite resin bonding system in vivo (Gaworski et al). 1999;116:518-21
In vitro cytotoxicity of orthodontic bonding resins on human oral fibroblasts (Tang et al). 1999;116:132-8
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7

Bone resorption
Idiopathic condylar resorption: diagnosis, treatment protocol, and outcomes (Wolford and Cardenas). 1999;116:667-77

Bone screws
Condylar positional changes after mandibular advancement surgery with rigid internal fixation (Rebellato et al). 1999;116:93-100

Bones, growth and development
Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy (Macdonald et al). 1999;116:13-24
A comparison of different treatment techniques for posterior crossbite in the mixed dentition (Erdinç et al). 1999;116:287-300
Effect of low masticatory function on condylar growth: a morphometric study in the rat (Kiliaridis et al). 1999;116:121-5
Nonsurgical correction of a Class II malocclusion with a vertical growth tendency (Cope and Sachdeva). 1999;116:66-74
Prevalence of skeletal and dental anomalies and normal variants seen in cephalometric and other radiographs of orthodontic patients (Tetradis and Kantor). 1999;116:572-7

*July, pp 1-120; August, pp. 121-238; September, pp. 239-372; October, pp. 373-480; November 481-596; December, pp. 597-720.

Soft tissue facial growth and development as assessed by the three-dimensional computerized mesh diagram analysis (Ferrario et al). 1999; 116:215-26
Stability of skeletal changes after activator treatment of patients with Class III malocclusions (Satravaha and Taweesedt). 1999;116:196-206

Brackets; *see* Orthodontic brackets

C

Caries
Effectiveness of a fluoride-releasing sealant in reducing decalcification during orthodontic treatment (Wenderoth et al). 1999;116:629-34

Cartilage
Effect of low masticatory function on condylar growth: a morphometric study in the rat (Kiliaridis et al). 1999;116:121-5

Case reports
Case reports. 1999;116:46-81, 168-86, 317-28, 424-9, 481-500, 661-6

Cements
Decalcification and bond failure: a comparison of a glass ionomer and a composite resin bonding system in vivo (Gaworski et al). 1999;116:518-21
The effect of delayed light exposure on bond strength: light-cured resin-reinforced glass ionomer cement vs light-cured resin (Komori and Ishikawa). 1999;116:139-45
Effect of time on the shear bond strength of glass ionomer and composite orthodontic adhesives (Bishara et al). 1999;116:616-20
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7

Cephalometry
Assessment of 3-dimensional computer-generated cephalometric measurements (Kusnoto et al). 1999;116:390-9
A cephalometric and tomographic evaluation of Herbst treatment in the mixed dentition (Croft et al). 1999;116:435-43
Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy (Macdonald et al). 1999;116:13-24
Cephalometric evaluation of open bite treatment with NiTi arch wires and anterior elastics (Küçükkeleş et al). 1999;116:555-62
Cephalometric soft tissue facial analysis (Bergman). 1999;116:373-89
Fifteen-year reproducibility of natural head posture: a longitudinal study (Peng and Cooke). 1999;116:82-5
Prevalence of skeletal and dental anomalies and normal variants seen in cephalometric and other radiographs of orthodontic patients (Tetradis and Kantor). 1999;116:572-7
Soft tissue cephalometric analysis: diagnosis and treatment planning of dentofacial deformity (Arnett et al). 1999;116:239-53

Ceramics
Comparison of the debonding characteristics of two innovative ceramic bracket designs (Bishara et al). 1999;116:86-92
An in vitro evaluation of a metal reinforced orthodontic ceramic bracket (Mundstock et al). 1999;116:635-41

Chincup; *see* Extraoral traction appliances

Clinician's corner
Clinician's corner. 1999;116:432-4

Composite resins
Decalcification and bond failure: a comparison of a glass ionomer and a composite resin bonding system in vivo (Gaworski et al). 1999;116:518-21
Effect of time on the shear bond strength of glass ionomer and composite orthodontic adhesives (Bishara et al). 1999;116:616-20

Computed tomography; *see* Tomography, x-ray computed

Computers
Computer survey (Halazonetis and Abelson). 1999;116:699-701
Digital imaging update. 1999;116:587-90
Electronically accessing the scientific literature: Web-based MEDLINE searches (Bar-Zion). 1999;116:229-31
Future of the AJO-DO online (Turpin). 1999;116:552-4 (Special article)
Orthodontics online, the AAO Web Site (Gatlin). 1999;116:474-5
Presentations with Dentofacial Planner images (Hegarty). 1999;116: 114-6
Soft tissue facial growth and development as assessed by the three-dimensional computerized mesh diagram analysis (Ferrario et al). 1999;116:215-26

Craniofacial deformities
Evaluation of the consolidation period during osteodistraction using computed tomography (Smith et al). 1999;116:254-63

Craniomandibular disorders
Temporomandibular disorders and science: a response to the critics (Greene et al). 1999;116:430-1

Crossbite
A comparison of different treatment techniques for posterior crossbite in the mixed dentition (Erdinç et al). 1999;116:287-300

Crowding; *see* Malocclusion

Curve of Spee
A comparison of the effects of rectangular and round arch wires in leveling the curve of Spee (AlQabandi et al). 1999;116:522-9

Cysts
Eruption speed and rate of angulation change of a cyst-associated mandibular second premolar after marsupialization of a dentigerous cyst (Miyawaki et al). 1999;116:578-84

Cytotoxicity
In vitro cytotoxicity of orthodontic bonding resins on human oral fibroblasts (Tang et al). 1999;116:132-8

D

Debonding
Comparison of the debonding characteristics of two innovative ceramic bracket designs (Bishara et al). 1999;116:86-92

Decalcification
Decalcification and bond failure: a comparison of a glass ionomer and a composite resin bonding system in vivo (Gaworski et al). 1999; 116:518-21
Effectiveness of a fluoride-releasing sealant in reducing decalcification during orthodontic treatment (Wenderoth et al). 1999;116:629-34

Deglutition
Relationship between the lingual-palatal contact duration associated with swallowing and maxillofacial morphology with the use of electropalatography (Ichida et al). 1999;116:146-51

Dental aesthetic index
Potential application of the dental aesthetic index to prioritize the orthodontic service needs in a publicly-funded dental program (Danyluk et al). 1999;116:279-86

Dental arch
Cephalometric evaluation of open bite treatment with NiTi arch wires and anterior elastics (Küçükkeleş et al). 1999;116:555-62
A comparison of the effects of rectangular and round arch wires in leveling the curve of Spee (AlQabandi et al). 1999;116:522-9
Controlled localized buckling responses of orthodontic arch wires (Nikolai and Chung). 1999;116:308-16
Evaluation of friction during sliding tooth movement in various bracket–arch wire combinations (Loftus et al). 1999;116:336-45
An evaluation of the shape of some popular nickel titanium alloy preformed arch wires (Braun et al). 1999;116:1-12

Dentigerous cyst
Eruption speed and rate of angulation change of a cyst-associated mandibular second premolar after marsupialization of a dentigerous cyst (Miyawaki et al). 1999;116:578-84

Dentition, mixed
A cephalometric and tomographic evaluation of Herbst treatment in the mixed dentition (Croft et al). 1999;116:435-43
A comparison of different treatment techniques for posterior crossbite in the mixed dentition (Erdinç et al). 1999;116:287-300

Dentoalveolar protrusion
Open bite, dental alveolar protrusion, Class I malocclusion: a successful treatment result (Alexander). 1999;116:494-500 (Case rep.)

Dentofacial deformity
Soft tissue cephalometric analysis: diagnosis and treatment planning of dentofacial deformity (Arnett et al). 1999;116:239-53

Dentofacial Planner
Presentations with Dentofacial Planner images (Hegarty). 1999;116: 114-6

Depositions
Depositions: the good, the bad, and the ugly (Jerrold). 1999;116:232-4 (Litigation/legis./ethics)

Disclosure
Disclosure and self-determination. 1999;116:591-3

Distraction
Biomechanical considerations in distraction of the osteotomized dentomaxillary complex (Ahn et al). 1999;116:264-70
Distraction osteogenesis in Silver Russell syndrome to expand the mandible (Kisnisci et al). 1999;116:25-30
Evaluation of the consolidation period during osteodistraction using computed tomography (Smith et al). 1999;116:254-63
Experimental tooth movement through regenerate alveolar bone: a pilot study (Cope et al). 1999;116:501-5
Doyle, Walter Arnett
Walter Arnett Doyle—Aug 9, 1933 to Feb 13, 1999 (Burke). 1999;116:113 (In memoriam)

E

Education
Educational update (Vaden and Riolo). 1999;116:117
Recognition of malocclusion: an education outcomes assessment (Brightman et al). 1999;116:444-51
Electromyography
Muscle response to the Twin-block appliance: an electromyographic study of the masseter and anterior temporal muscles (Aggarwal et al). 1999;116:405-14
Electropalatography
Relationship between the lingual-palatal contact duration associated with swallowing and maxillofacial morphology with the use of electropalatography (Ichida et al). 1999;116:146-51
Enamel
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7
Esthetics
Effects of water immersion on mechanical properties of new esthetic orthodontic wire (Imai et al). 1999;116:533-8
Three-dimensional virtual imaging of facial skeleton and dental morphologic condition for treatment planning in orthognathic surgery (Okumura et al). 1999;116:126-31
Extraoral traction appliances
Long-term application of chincup force alters the morphology of the dolichofacial Class III mandible (Deguchi et al). 1999;116:610-5
Orthodontic correction of a Class II Division 1 subdivision right open bite malocclusion in an adolescent patient with a cervical pull face-bow headgear (Smith and Alexander). 1999;116:60-5 (Case rep.)

F

Face
Cephalometric soft tissue facial analysis (Bergman). 1999;116:373-89
Evaluation of the consolidation period during osteodistraction using computed tomography (Smith et al). 1999;116:254-63
Male adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part II (Nebbe et al). 1999;116:301-7
Photographic analysis of facial changes associated with maxillary expansion (Berger et al). 1999;116:563-71
Prevalence of skeletal and dental anomalies and normal variants seen in cephalometric and other radiographs of orthodontic patients (Tetradis and Kantor). 1999;116:572-7
Soft tissue cephalometric analysis: diagnosis and treatment planning of dentofacial deformity (Arnett et al). 1999;116:239-53
Soft tissue facial growth and development as assessed by the three-dimensional computerized mesh diagram analysis (Ferrario et al). 1999;116:215-26
Face mask
Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy (Macdonald et al). 1999;116:13-24
Orthodontic correction of a Class III malocclusion in an adolescent patient with a bonded RPE and protraction face mask (Smith and English). 1999;116:177-83 (Case rep.)
Face-bow
Orthodontic correction of a Class II Division 1 subdivision right open bite malocclusion in an adolescent patient with a cervical pull face-bow headgear (Smith and Alexander). 1999;116:60-5 (Case rep.)
Facial bones
Three-dimensional virtual imaging of facial skeleton and dental morphologic condition for treatment planning in orthognathic surgery (Okumura et al). 1999;116:126-31
Facial expression
Severe high angle Class II Division 1 malocclusion with vertical maxillary excess and gummy smile: a case report (Redlich et al). 1999;116:317-20 (Case rep.)
Females; *see* Women
Fibroblasts
In vitro cytotoxicity of orthodontic bonding resins on human oral fibroblasts (Tang et al). 1999;116:132-8
Fluorides
Effect of a fluoride varnish on demineralization adjacent to orthodontic brackets (Todd et al). 1999;116:159-67
Effectiveness of a fluoride-releasing sealant in reducing decalcification during orthodontic treatment (Wenderoth et al). 1999;116:629-34
FR-2 appliance of Fränkel
Treatment effects produced by the Twin-block appliance and the FR-2 appliance of Fränkel compared with an untreated Class II sample (Toth and McNamara). 1999;116:597-609
Friction
Comparison of frictional resistance in titanium and stainless steel brackets (Kapur et al). 1999;116:271-4
Evaluation of friction during sliding tooth movement in various bracket–arch wire combinations (Loftus et al). 1999;116:336-45
Frictional resistance in orthodontic brackets with repeated use (Kapur et al). 1999;116:400-4

G

Gingiva
Gingival response to orthodontic force (Redlich et al). 1999;116:152-8
Surgically assisted rapid palatal expansion: orthodontic preparation for clinical success (Cureton and Cuenin). 1999;116:46-59 (Case rep.)
Glass ionomer cements
Decalcification and bond failure: a comparison of a glass ionomer and a composite resin bonding system in vivo (Gaworski et al). 1999;116:518-21
The effect of delayed light exposure on bond strength: light-cured resin-reinforced glass ionomer cement vs light-cured resin (Komori and Ishikawa). 1999;116:139-45
Effect of time on the shear bond strength of glass ionomer and composite orthodontic adhesives (Bishara et al). 1999;116:616-20
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7
Growth and development
Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy (Macdonald et al). 1999;116:13-24
A comparison of different treatment techniques for posterior crossbite in the mixed dentition (Erdinç et al). 1999;116:287-300
Effect of low masticatory function on condylar growth: a morphometric study in the rat (Kiliaridis et al). 1999;116:121-5
Nonsurgical correction of a Class II malocclusion with a vertical growth tendency (Cope and Sachdeva). 1999;116:66-74
Prevalence of skeletal and dental anomalies and normal variants seen in cephalometric and other radiographs of orthodontic patients (Tetradis and Kantor). 1999;116:572-7
Soft tissue facial growth and development as assessed by the three-dimensional computerized mesh diagram analysis (Ferrario et al). 1999;116:215-26
Stability of skeletal changes after activator treatment of patients with Class III malocclusions (Satravaha and Taweesedt). 1999;116:196-206

H

Head posture
Case report of malocclusion with abnormal head head posture and TMJ symptoms (Kondo and Aoba). 1999;116:481-93 (Case rep.)
Fifteen-year reproducibility of natural head posture: a longitudinal study (Peng and Cooke). 1999;116:82-5
Headgear; *see* Extraoral traction appliances
Herbst treatment
A cephalometric and tomographic evaluation of Herbst treatment in the mixed dentition (Croft et al). 1999;116:435-43

Mandibular articular disk position changes during Herbst treatment: a prospective longitudinal MRI study (Pancherz et al). 1999;116:207-14

Huckaba, George William
George William Huckaba, DDS, MS (Vaden). 1999;116:471 (In memoriam)

Hypodontia; *see* Anodontia

I

Immersion
Effects of water immersion on mechanical properties of new esthetic orthodontic wire (Imai et al). 1999;116:533-8

Implants
Palatal implant anchorage reinforcement of posterior teeth: a prospective study (Wehrbein et al). 1999;116:678-86

In memoriam
Dr Robert M. Nelson 1918 to 1998 (Proffit). 1999;116:112
George William Huckaba, DDS, MS (Vaden). 1999;116:471
Kyrle W. Preis (Preis). 1999;116:111
Walter Arnett Doyle—Aug 9, 1933 to Feb 13, 1999 (Burke). 1999;116:113

Incisor
Effect of repeated orthodontic treatment on the dental and periodontal tissues of the rat incisor (Katzhendler and Steigman). 1999;116:642-50
Effect of variation in tooth morphology and bracket position on first and third order correction with preadjusted appliances (Miethke and Melsen). 1999;116:329-35
Treatment of a Class III malocclusion with a missing mandibular incisor and severe crowding (Shashua). 1999;116:661-6 (Case rep.)

Infection
Investigation of bacteremia after orthodontic banding (Erverdi et al). 1999;116:687-90

Internal fixators
Condylar positional changes after mandibular advancement surgery with rigid internal fixation (Rebellato et al). 1999;116:93-100

Internet
Electronically accessing the scientific literature: Web-based MEDLINE searches (Bar-Zion). 1999;116:229-31
Future of the AJO-DO online (Turpin). 1999;116:552-4 (Special article)

J

Jarabak, Joseph R
Joseph R. Jarabak—a living legend (Nanda). 1999;116:472-3 (Vignette)

Jurisprudence
Depositions: the good, the bad, and the ugly (Jerrold). 1999;116:232-4 (Litigation/legis./ethics)
I can do that (Jerrold). 1999;116:476-8 (Litigation/legis./ethics)
Statute of limitations declared unconstitutional (Jerrold). 1999;116:xx16 (Litigation/legis./ethics)

L

Lecture presentation
Presentations with Dentofacial Planner images (Hegarty). 1999;116:114-6

Light-cured resins
The effect of delayed light exposure on bond strength: light-cured resin-reinforced glass ionomer cement vs light-cured resin (Komori and Ishikawa). 1999;116:139-45

Litigation, legislation, and ethics
Litigation, legislation, and ethics. 1999;116:232-4, 369-70, 476-8, 591-3, 702-3

M

Magnetic resonance imaging
Mandibular articular disk position changes during Herbst treatment: a prospective longitudinal MRI study (Pancherz et al). 1999;116:207-14

Males; *see* Men

Malocclusion
Comparison of intermaxillary tooth size discrepancies among different malocclusion groups (Nie and Lin). 1999;116:539-44
Effect of serial extraction alone on crowding: relationships between tooth width, arch length, and crowding (Yoshihara et al). 1999;116:691-6
Recognition of malocclusion: an education outcomes assessment (Brightman et al). 1999;116:444-51

Malocclusion, Angle, Class I
Open bite, dental alveolar protrusion, Class I malocclusion: a successful treatment result (Alexander). 1999;116:494-500 (Case rep.)
A retrospective study of Angle Class I malocclusions treated orthodontically without extractions using two palatal expansion methods (Azizi et al). 1999;116:101-7

Malocclusion, Angle, Class II
Class II malocclusion correction: an American Board of Orthodontics case (Snyder). 1999;116:424-9 (Case rep.)
Comparison of the accuracy of bracket placement between direct and indirect bonding techniques (Koo et al). 1999;116:346-51
Comparison of the effects of monoblock and twin-block appliances on the skeletal and dentoalveolar structures (Tümer and Gültan). 1999;116:460-8
Nonsurgical correction of a Class II malocclusion with a vertical growth tendency (Cope and Sachdeva). 1999;116:66-74
Orthodontic correction of a Class II Division 1 subdivision right open bite malocclusion in an adolescent patient with a cervical pull face-bow headgear (Smith and Alexander). 1999;116:60-5 (Case rep.)
Orthodontic correction of an adult Angle Class II Division 2 deep bite (Vaughan). 1999;116:75-81 (Case rep.)
Predictors of outcome among patients with Class II Division 1 malocclusion treated with fixed appliances in the permanent dentition (Burden et al). 1999;116:452-9
Severe high angle Class II Division 1 malocclusion with vertical maxillary excess and gummy smile: a case report (Redlich et al). 1999;116:317-20 (Case rep.)
Treatment effects produced by the Twin-block appliance and the FR-2 appliance of Fränkel compared with an untreated Class II sample (Toth and McNamara). 1999;116:597-609

Malocclusion, Angle, Class III
Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy (Macdonald et al). 1999;116:13-24
Long-term application of chincup force alters the morphology of the dolichofacial Class III mandible (Deguchi et al). 1999;116:610-5
Orthodontic correction of a Class III malocclusion in an adolescent patient with a bonded RPE and protraction face mask (Smith and English). 1999;116:177-83 (Case rep.)
Stability of skeletal changes after activator treatment of patients with Class III malocclusions (Satravaha and Taweesedt). 1999;116:196-206
Treatment of a Class III malocclusion with a missing mandibular incisor and severe crowding (Shashua). 1999;116:661-6 (Case rep.)
Treatment of a Class III malocclusion with maxillary constriction and an anterior functional shift (Mergen et al). 1999;116:324-8

Mandible
Distraction osteogenesis in Silver Russell syndrome to expand the mandible (Kisnisci et al). 1999;116:25-30
Does 2 years' nocturnal treatment with a mandibular advancement splint in patients with snoring and OSAS cause a change in the posture of the mandible? (Bondemark). 1999;116:621-8
Effect of variation in tooth morphology and bracket position on first and third order correction with preadjusted appliances (Miethke and Melsen). 1999;116:329-35
Eruption speed and rate of angulation change of a cyst-associated mandibular second premolar after marsupialization of a dentigerous cyst (Miyawaki et al). 1999;116:578-84
Experimental tooth movement through regenerate alveolar bone: a pilot study (Cope et al). 1999;116:501-5
Long-term application of chincup force alters the morphology of the dolichofacial Class III mandible (Deguchi et al). 1999;116:610-5
Mandibular articular disk position changes during Herbst treatment: a prospective longitudinal MRI study (Pancherz et al). 1999;116:207-14
Treatment of a Class III malocclusion with a missing mandibular incisor and severe crowding (Shashua). 1999;116:661-6 (Case rep.)

Mandibular condyle
Condylar positional changes after mandibular advancement surgery with rigid internal fixation (Rebellato et al). 1999;116:93-100
Effect of low masticatory function on condylar growth: a morphometric study in the rat (Kiliaridis et al). 1999;116:121-5

Idiopathic condylar resorption: diagnosis, treatment protocol, and outcomes (Wolford and Cardenas). 1999;116:667-77

Masseter muscle
Muscle response to the Twin-block appliance: an electromyographic study of the masseter and anterior temporal muscles (Aggarwal et al). 1999;116:405-14

Mastication
Effect of low masticatory function on condylar growth: a morphometric study in the rat (Kiliaridis et al). 1999;116:121-5

Maxilla
Biomechanical considerations in distraction of the osteotomized dentomaxillary complex (Ahn et al). 1999;116:264-70
Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy (Macdonald et al). 1999;116:13-24
Comparison of intermaxillary tooth size discrepancies among different malocclusion groups (Nie and Lin). 1999;116:539-44
Photographic analysis of facial changes associated with maxillary expansion (Berger et al). 1999;116:563-71
Radiographic localization of unerupted maxillary anterior teeth using the vertical tube shift technique: the history and application of the method with some case reports (Jacobs). 1999;116:415-23
Severe high angle Class II Division 1 malocclusion with vertical maxillary excess and gummy smile: a case report (Redlich et al). 1999;116:317-20 (Case rep.)
Surgically assisted rapid palatal expansion: orthodontic preparation for clinical success (Cureton and Cuenin). 1999;116:46-59 (Case rep.)
Treatment of a Class III malocclusion with maxillary constriction and an anterior functional shift (Mergen et al). 1999;116:324-8

Mechanical properties
Effects of water immersion on mechanical properties of new esthetic orthodontic wire (Imai et al). 1999;116:533-8

MEDLINE
Electronically accessing the scientific literature: Web-based MEDLINE searches (Bar-Zion). 1999;116:229-31

Men
Male adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part II (Nebbe et al). 1999;116:301-7

Metals
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7

Molar
Adhesion of bonded orthodontic attachments to dental amalgam: in vitro study (Sperber et al). 1999;116:506-13
Controlled localized buckling responses of orthodontic arch wires (Nikolai and Chung). 1999;116:308-16
Effect of variation in tooth morphology and bracket position on first and third order correction with preadjusted appliances (Miethke and Melsen). 1999;116:329-35
Eruption disturbances of the first and second permanent molars: results of treatment in 43 cases (Valmaseda-Castellón et al). 1999;116:651-8
Experimental tooth movement through regenerate alveolar bone: a pilot study (Cope et al). 1999;116:501-5

N

National Library of Medicine
Electronically accessing the scientific literature: Web-based MEDLINE searches (Bar-Zion). 1999;116:229-31

Natural head posture
Fifteen-year reproducibility of natural head posture: a longitudinal study (Peng and Cooke). 1999;116:82-5

Nelson, Robert M
Dr Robert M. Nelson 1918 to 1998 (Proffit). 1999;116:112 (In memoriam)

Nickel
Cephalometric evaluation of open bite treatment with NiTi arch wires and anterior elastics (Küçükkeleş et al). 1999;116:555-62
A comparison of the effects of rectangular and round arch wires in leveling the curve of Spee (AlQabandi et al). 1999;116:522-9
An evaluation of the shape of some popular nickel titanium alloy preformed arch wires (Braun et al). 1999;116:1-12

O

Obituaries
Dr Robert M. Nelson 1918 to 1998 (Proffit). 1999;116:112
George William Huckaba, DDS, MS (Vaden). 1999;116:471
Kyrle W. Preis (Preis). 1999;116:111
Walter Arnett Doyle—Aug 9, 1933 to Feb 13, 1999 (Burke). 1999;116:113

Obstructive sleep apnea; *see* Sleep apnea syndrome

Ortho bytes
Ortho bytes. 1999;116:114-6, 229-31, 363-8, 474-5, 587-90

Orthodontic appliances
A comparison of different treatment techniques for posterior crossbite in the mixed dentition (Erdinç et al). 1999;116:287-300
Comparison of the effects of monoblock and twin-block appliances on the skeletal and dentoalveolar structures (Tümer and Gültan). 1999;116:460-8
Comparison of treatment outcomes with banded and bonded RPE appliances (Reed et al). 1999;116:31-40
Condylar positional changes after mandibular advancement surgery with rigid internal fixation (Rebellato et al). 1999;116:93-100
Effect of variation in tooth morphology and bracket position on first and third order correction with preadjusted appliances (Miethke and Melsen). 1999;116:329-35
Muscle response to the Twin-block appliance: an electromyographic study of the masseter and anterior temporal muscles (Aggarwal et al). 1999;116:405-14
Predictors of outcome among patients with Class II Division 1 malocclusion treated with fixed appliances in the permanent dentition (Burden et al). 1999;116:452-9
Stability of skeletal changes after activator treatment of patients with Class III malocclusions (Satravaha and Taweesedt). 1999;116:196-206
Treatment effects produced by the Twin-block appliance and the FR-2 appliance of Fränkel compared with an untreated Class II sample (Toth and McNamara). 1999;116:597-609

Orthodontic brackets
Comparison of frictional resistance in titanium and stainless steel brackets (Kapur et al). 1999;116:271-4
Comparison of load transmission and bracket deformation between titanium and stainless steel brackets (Kapur et al). 1999;116:275-8
Comparison of the accuracy of bracket placement between direct and indirect bonding techniques (Koo et al). 1999;116:346-51
Comparison of the debonding characteristics of two innovative ceramic bracket designs (Bishara et al). 1999;116:86-92
Effect of a fluoride varnish on demineralization adjacent to orthodontic brackets (Todd et al). 1999;116:159-67
Effect of variation in tooth morphology and bracket position on first and third order correction with preadjusted appliances (Miethke and Melsen). 1999;116:329-35
Evaluation of friction during sliding tooth movement in various bracket–arch wire combinations (Loftus et al). 1999;116:336-45
Frictional resistance in orthodontic brackets with repeated use (Kapur et al). 1999;116:400-4
An in vitro evaluation of a metal reinforced orthodontic ceramic bracket (Mundstock et al). 1999;116:635-41
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7

Orthodontic service needs
Potential application of the dental aesthetic index to prioritize the orthodontic service needs in a publicly-funded dental program (Danyluk et al). 1999;116:279-86

Orthodontic wires
Cephalometric evaluation of open bite treatment with NiTi arch wires and anterior elastics (Küçükkeleş et al). 1999;116:555-62
A comparison of the effects of rectangular and round arch wires in leveling the curve of Spee (AlQabandi et al). 1999;116:522-9
Controlled localized buckling responses of orthodontic arch wires (Nikolai and Chung). 1999;116:308-16
Effect of variation in tooth morphology and bracket position on first and third order correction with preadjusted appliances (Miethke and Melsen). 1999;116:329-35

Effects of water immersion on mechanical properties of new esthetic orthodontic wire (Imai et al). 1999;116:533-8
Evaluation of friction during sliding tooth movement in various bracket–arch wire combinations (Loftus et al). 1999;116:336-45
An evaluation of the shape of some popular nickel titanium alloy preformed arch wires (Braun et al). 1999;116:1-12

Orthognathic surgery
Three-dimensional virtual imaging of facial skeleton and dental morphologic condition for treatment planning in orthognathic surgery (Okumura et al). 1999;116:126-31

Osteodistraction
Evaluation of the consolidation period during osteodistraction using computed tomography (Smith et al). 1999;116:254-63

Osteogenesis
Biomechanical considerations in distraction of the osteotomized dentomaxillary complex (Ahn et al). 1999;116:264-70
Distraction osteogenesis in Silver Russell syndrome to expand the mandible (Kisnisci et al). 1999;116:25-30
Evaluation of the consolidation period during osteodistraction using computed tomography (Smith et al). 1999;116:254-63
Experimental tooth movement through regenerate alveolar bone: a pilot study (Cope et al). 1999;116:501-5

Osteotomy
Biomechanical considerations in distraction of the osteotomized dentomaxillary complex (Ahn et al). 1999;116:264-70
Condylar positional changes after mandibular advancement surgery with rigid internal fixation (Rebellato et al). 1999;116:93-100

Outcome assessment
Comparison of treatment outcomes with banded and bonded RPE appliances (Reed et al). 1999;116:31-40
Idiopathic condylar resorption: diagnosis, treatment protocol, and outcomes (Wolford and Cardenas). 1999;116:667-77
Predictors of outcome among patients with Class II Division 1 malocclusion treated with fixed appliances in the permanent dentition (Burden et al). 1999;116:452-9
Recognition of malocclusion: an education outcomes assessment (Brightman et al). 1999;116:444-51

P

Palatal expansion technique
Cephalometric changes after the correction of Class III malocclusion with maxillary expansion/facemask therapy (Macdonald et al). 1999;116:13-24
A comparison of different treatment techniques for posterior crossbite in the mixed dentition (Erdinç et al). 1999;116:287-300
Comparison of treatment outcomes with banded and bonded RPE appliances (Reed et al). 1999;116:31-40
Distraction osteogenesis in Silver Russell syndrome to expand the mandible (Kisnisci et al). 1999;116:25-30
Orthodontic correction of a Class III malocclusion in an adolescent patient with a bonded RPE and protraction face mask (Smith and English). 1999;116:177-83 (Case rep.)
Photographic analysis of facial changes associated with maxillary expansion (Berger et al). 1999;116:563-71
A retrospective study of Angle Class I malocclusions treated orthodontically without extractions using two palatal expansion methods (Azizi et al). 1999;116:101-7
Surgically assisted rapid palatal expansion: orthodontic preparation for clinical success (Cureton and Cuenin). 1999;116:46-59 (Case rep.)

Palate
Palatal implant anchorage reinforcement of posterior teeth: a prospective study (Wehrbein et al). 1999;116:678-86
Relationship between the lingual-palatal contact duration associated with swallowing and maxillofacial morphology with the use of electropalatography (Ichida et al). 1999;116:146-51

Periodontal tissues
Effect of repeated orthodontic treatment on the dental and periodontal tissues of the rat incisor (Katzhendler and Steigman). 1999;116:642-50

Photography
Photographic analysis of facial changes associated with maxillary expansion (Berger et al). 1999;116:563-71

Photopolymerization
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7

Pit and fissure sealants
Effectiveness of a fluoride-releasing sealant in reducing decalcification during orthodontic treatment (Wenderoth et al). 1999;116:629-34

Posture
Case report of malocclusion with abnormal head head posture and TMJ symptoms (Kondo and Aoba). 1999;116:481-93 (Case rep.)
Does 2 years' nocturnal treatment with a mandibular advancement splint in patients with snoring and OSAS cause a change in the posture of the mandible? (Bondemark). 1999;116:621-8
Fifteen-year reproducibility of natural head posture: a longitudinal study (Peng and Cooke). 1999;116:82-5

Preis, Kyrle W
Kyrle W. Preis (Preis). 1999;116:111 (In memoriam)

Premolar
The effect of first premolar extraction on vertical dimension (Kocadereli). 1999;116:41-5
Eruption speed and rate of angulation change of a cyst-associated mandibular second premolar after marsupialization of a dentigerous cyst (Miyawaki et al). 1999;116:578-84
Experimental tooth movement through regenerate alveolar bone: a pilot study (Cope et al). 1999;116:501-5

Preoperative care
Surgically assisted rapid palatal expansion: orthodontic preparation for clinical success (Cureton and Cuenin). 1999;116:46-59 (Case rep.)

Protrusion
Open bite, dental alveolar protrusion, Class I malocclusion: a successful treatment result (Alexander). 1999;116:494-500 (Case rep.)

R

Radiographic image enhancement
Digital imaging update. 1999;116:587-90

Radiography
Prevalence of skeletal and dental anomalies and normal variants seen in cephalometric and other radiographs of orthodontic patients (Tetradis and Kantor). 1999;116:572-7
Radiographic localization of unerupted maxillary anterior teeth using the vertical tube shift technique: the history and application of the method with some case reports (Jacobs). 1999;116:415-23

Rats
Effect of repeated orthodontic treatment on the dental and periodontal tissues of the rat incisor (Katzhendler and Steigman). 1999;116:642-50

Reproducibility of results
Fifteen-year reproducibility of natural head posture: a longitudinal study (Peng and Cooke). 1999;116:82-5

Resins
Decalcification and bond failure: a comparison of a glass ionomer and a composite resin bonding system in vivo (Gaworski et al). 1999;116:518-21
The effect of delayed light exposure on bond strength: light-cured resin-reinforced glass ionomer cement vs light-cured resin (Komori and Ishikawa). 1999;116:139-45
In vitro cytotoxicity of orthodontic bonding resins on human oral fibroblasts (Tang et al). 1999;116:132-8
Metallic bracket to enamel bonding with a photopolymerizable resin-reinforced glass ionomer (Flores et al). 1999;116:514-7

Retainers
Bonding orthodontic lower 3 to 3 retainers with a rubber dam: a second generation step-by-step procedure (Arnone). 1999;116:432-4 (Clin. corner)

Risk factors
Are dental anomalies risk factors for apical root resorption in orthodontic patients? (Lee et al). 1999;116:187-95

Root resorption
Are dental anomalies risk factors for apical root resorption in orthodontic patients? (Lee et al). 1999;116:187-95
External apical root resorption of posterior teeth in asthmatics after orthodontic treatment (McNab et al). 1999;116:545-51
Root resorption: another long-term outcome (Desai). 1999;116:184-6 (Case rep.)

Rubber dams
Bonding orthodontic lower 3 to 3 retainers with a rubber dam: a second generation step-by-step procedure (Arnone). 1999;116:432-4 (Clin. corner)

S

Self-determination
Disclosure and self-determination. 1999;116:591-3
Service needs and demands
Potential application of the dental aesthetic index to prioritize the orthodontic service needs in a publicly-funded dental program (Danyluk et al). 1999;116:279-86
Short communications
Short communications. 1999;116:430-1, 501-5, 530-2
Silver Russell syndrome
Distraction osteogenesis in Silver Russell syndrome to expand the mandible (Kisnisci et al). 1999;116:25-30
Sleep apnea syndromes
Does 2 years' nocturnal treatment with a mandibular advancement splint in patients with snoring and OSAS cause a change in the posture of the mandible? (Bondemark). 1999;116:621-8
Smile
Severe high angle Class II Division 1 malocclusion with vertical maxillary excess and gummy smile: a case report (Redlich et al). 1999;116:317-20 (Case rep.)
Snoring
Does 2 years' nocturnal treatment with a mandibular advancement splint in patients with snoring and OSAS cause a change in the posture of the mandible? (Bondemark). 1999;116:621-8
Soft tissue
Cephalometric soft tissue facial analysis (Bergman). 1999;116:373-89
Soft tissue cephalometric analysis: diagnosis and treatment planning of dentofacial deformity (Arnett et al). 1999;116:239-53
Soft tissue facial growth and development as assessed by the three-dimensional computerized mesh diagram analysis (Ferrario et al). 1999;116:215-26
Software
Computer survey (Halazonetis and Abelson). 1999;116:699-701
Digital imaging update. 1999;116:587-90
Electronically accessing the scientific literature: Web-based MEDLINE searches (Bar-Zion). 1999;116:229-31
Orthodontics online, the AAO Web Site (Gatlin). 1999;116:474-5
Presentations with Dentofacial Planner images (Hegarty). 1999;116:114-6
Special articles
Special articles. 1999;116:552-4
Splints
Does 2 years' nocturnal treatment with a mandibular advancement splint in patients with snoring and OSAS cause a change in the posture of the mandible? (Bondemark). 1999;116:621-8
Stainless steel
Comparison of frictional resistance in titanium and stainless steel brackets (Kapur et al). 1999;116:271-4
Comparison of load transmission and bracket deformation between titanium and stainless steel brackets (Kapur et al). 1999;116:275-8
A comparison of the effects of rectangular and round arch wires in leveling the curve of Spee (AlQabandi et al). 1999;116:522-9
Statute of Limitations
Statute of limitations declared unconstitutional (Jerrold). 1999;116:702-3 (Litigation/legis./ethics)
Stress, mechanical
Gingival response to orthodontic force (Redlich et al). 1999;116:152-8
Tensile and shear stresses in the orthodontic attachment adhesive layer with 3D finite element analysis (Thomas et al). 1999;116:530-2
Swallowing; *see* Deglutition

T

Temporal muscle
Muscle response to the Twin-block appliance: an electromyographic study of the masseter and anterior temporal muscles (Aggarwal et al). 1999;116:405-14
Temporomandibular joint
Case report of malocclusion with abnormal head head posture and TMJ symptoms (Kondo and Aoba). 1999;116:481-93 (Case rep.)
Female adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part I (Nebbe et al). 1999;116:168-76 (Case rep.)
Male adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part II (Nebbe et al). 1999;116:301-7
Mandibular articular disk position changes during Herbst treatment: a prospective longitudinal MRI study (Pancherz et al). 1999;116:207-14
Temporomandibular disorders and science: a response to the critics (Greene et al). 1999;116:430-1
Tensile strength
Tensile and shear stresses in the orthodontic attachment adhesive layer with 3D finite element analysis (Thomas et al). 1999;116:530-2
Three-dimensional analysis
Assessment of 3-dimensional computer-generated cephalometric measurements (Kusnoto et al). 1999;116:390-9
Soft tissue facial growth and development as assessed by the three-dimensional computerized mesh diagram analysis (Ferrario et al). 1999;116:215-26
Tensile and shear stresses in the orthodontic attachment adhesive layer with 3D finite element analysis (Thomas et al). 1999;116:530-2
Three-dimensional virtual imaging of facial skeleton and dental morphologic condition for treatment planning in orthognathic surgery (Okumura et al). 1999;116:126-31
Time factors
Effect of time on the shear bond strength of glass ionomer and composite orthodontic adhesives (Bishara et al). 1999;116:616-20
Titanium
Cephalometric evaluation of open bite treatment with NiTi arch wires and anterior elastics (Küçükkeleş et al). 1999;116:555-62
Comparison of frictional resistance in titanium and stainless steel brackets (Kapur et al). 1999;116:271-4
Comparison of load transmission and bracket deformation between titanium and stainless steel brackets (Kapur et al). 1999;116:275-8
A comparison of the effects of rectangular and round arch wires in leveling the curve of Spee (AlQabandi et al). 1999;116:522-9
Evaluation of friction during sliding tooth movement in various bracket–arch wire combinations (Loftus et al). 1999;116:336-45
An evaluation of the shape of some popular nickel titanium alloy preformed arch wires (Braun et al). 1999;116:1-12
Tomography, x-ray computed
A cephalometric and tomographic evaluation of Herbst treatment in the mixed dentition (Croft et al). 1999;116:435-43
Evaluation of the consolidation period during osteodistraction using computed tomography (Smith et al). 1999;116:254-63
Tongue
Relationship between the lingual-palatal contact duration associated with swallowing and maxillofacial morphology with the use of electropalatography (Ichida et al). 1999;116:146-51
Tooth, impacted
Radiographic localization of unerupted maxillary anterior teeth using the vertical tube shift technique: the history and application of the method with some case reports (Jacobs). 1999;116:415-23
Tooth crowding; *see* Malocclusion
Tooth demineralization
Effect of a fluoride varnish on demineralization adjacent to orthodontic brackets (Todd et al). 1999;116:159-67
Tooth eruption
Eruption disturbances of the first and second permanent molars: results of treatment in 43 cases (Valmaseda-Castellón et al). 1999;116:651-8
Eruption speed and rate of angulation change of a cyst-associated mandibular second premolar after marsupialization of a dentigerous cyst (Miyawaki et al). 1999;116:578-84
Tooth extraction
The effect of first premolar extraction on vertical dimension (Kocadereli). 1999;116:41-5
Effect of serial extraction alone on crowding: relationships between tooth width, arch length, and crowding (Yoshihara et al). 1999;116:691-6
The perceived impact of extraction and nonextraction treatments on matched samples of African American patients (Scott and Johnston). 1999;116:352-8
Tooth movement
Evaluation of friction during sliding tooth movement in various bracket–arch wire combinations (Loftus et al). 1999;116:336-45

Experimental tooth movement through regenerate alveolar bone: a pilot study (Cope et al). 1999;116:501-5
External apical root resorption of posterior teeth in asthmatics after orthodontic treatment (McNab et al). 1999;116:545-51
Gingival response to orthodontic force (Redlich et al). 1999;116:152-8

Tooth size
Comparison of intermaxillary tooth size discrepancies among different malocclusion groups (Nie and Lin). 1999;116:539-44

Torsion
Comparison of load transmission and bracket deformation between titanium and stainless steel brackets (Kapur et al). 1999;116:275-8

Total quality management
Total quality management in orthodontic practice (Atta). 1999;116:659-60 (Special article)

Treatment outcome
Comparison of treatment outcomes with banded and bonded RPE appliances (Reed et al). 1999;116:31-40
Idiopathic condylar resorption: diagnosis, treatment protocol, and outcomes (Wolford and Cardenas). 1999;116:667-77

Treatment planning
Three-dimensional virtual imaging of facial skeleton and dental morphologic condition for treatment planning in orthognathic surgery (Okumura et al). 1999;116:126-31

Twin-block appliance
Muscle response to the Twin-block appliance: an electromyographic study of the masseter and anterior temporal muscles (Aggarwal et al). 1999;116:405-14
Treatment effects produced by the Twin-block appliance and the FR-2 appliance of Fränkel compared with an untreated Class II sample (Toth and McNamara). 1999;116:597-609

V

Varnish, fluoride; *see* Fluorides

Vertical dimension
The effect of first premolar extraction on vertical dimension (Kocadereli). 1999;116:41-5
Nonsurgical correction of a Class II malocclusion with a vertical growth tendency (Cope and Sachdeva). 1999;116:66-74
Severe high angle Class II Division 1 malocclusion with vertical maxillary excess and gummy smile: a case report (Redlich et al). 1999;116:317-20 (Case rep.)

Vertical tube shift technique
Radiographic localization of unerupted maxillary anterior teeth using the vertical tube shift technique: the history and application of the method with some case reports (Jacobs). 1999;116:415-23

Virtual imaging
Three-dimensional virtual imaging of facial skeleton and dental morphologic condition for treatment planning in orthognathic surgery (Okumura et al). 1999;116:126-31

W

Water
Effects of water immersion on mechanical properties of new esthetic orthodontic wire (Imai et al). 1999;116:533-8

Wires; *see* Orthodontic wires

Women
Female adolescent facial pattern associated with TMJ disk displacement and reduction in disk length: part I (Nebbe et al). 1999;116:168-76 (Case rep.)

World Wide Web
Electronically accessing the scientific literature: Web-based MEDLINE searches (Bar-Zion). 1999;116:229-31
Orthodontics online, the AAO Web Site (Gatlin). 1999;116:474-5

Wound healing
Palatal implant anchorage reinforcement of posterior teeth: a prospective study (Wehrbein et al). 1999;116:678-86